# NEUROSCIENCE

An International Journal under the editorial direction of IBRO

Volume 74, 1996

TITLE SECTION,
LIST OF CONTENTS,
AUTHOR AND KEY WORD INDEX

PERGAMON

# NEUROSCIENCE


*Chief Editors*

P. G. KOSTYUK: *Department of General Physiology, A. A. Bogomoletz Institute of Physiology, Academy of Sciences, 4 Bogomoletz Street, Kiev 24, 252601 GSP, Ukraine*

R. LLINÁS: *Department of Physiology and Biophysics, New York University School of Medicine, 550 First Avenue, New York 10016, U.S.A.*

A. D. SMITH: *Department of Pharmacology, University of Oxford, Mansfield Road, Oxford OX1 3QT, U.K.*

*Editorial Board*

G. ASTON-JONES (*Philadelphia, PA*)
G. BERNARDI (*Rome*)
A. BJORKLUND (*Lund*)
A. BLIGHT (*Chapel Hill, NA*)
T. V. P. BLISS (*London*)
J. P. BOLAM (*Oxford*)
M. C. BROWN (*Oxford*)
J. BUREŠ (*Prague*)
G. BUZSÁKI (*Newark, NJ*)
A. L. BYSOV (*Moscow*)
C. CAVADA (*Madrid*)
D. W. CHOI (*St Louis, MO*)
A. CONSTANTI (*London*)
M. COSTA (*Adelaide*)
J. T. COYLE (*Belmont, MA*)
W. CRILL (*Seattle, WA*)
A. C. CUELLO (*Montreal*)
A. C. DOLPHIN (*London*)
F. E. DUDEK (*Fort Collins, CO*)
A. W. DUGGAN (*Edinburgh*)
D. EDGAR (*Liverpool*)
M. M. ESIRI (*Oxford*)
R. H. EVANS (*Bristol*)
D. S. FABER (*Philadelphia, PA*)
V. V. FANARDJIAN (*Yerevan*)
R. L. M. FAULL (*Auckland*)
R. FISCHER-COLBRIE (*Innsbruck*)
T. F. FREUND (*Budapest*)
G. GABELLA (*London*)
F. H. GAGE (*La Jolla, CA*)
J. GARTHWAITE (*London*)
C. R. GERFEN (*Bethesda, MD*)
H. M. GERSCHENFELD (*Paris*)
J. GLOWINSKI (*Paris*)
J. A. GRAY (*London*)
A. M. GRAYBIEL (*Cambridge, MA*)
H. J. GROENEWEGEN (*Amsterdam*)
R. W. GUILLERY (*Oxford*)
M. J. GUTNICK (*Beersheva*)
M. HAMON (*Paris*)
F. F. HEFTI (*Harlow*)
L. HEIMER (*Charlottesville, VA*)
Z. HENDERSON (*Leeds*)
J. HERBERT (*Cambridge*)
M. HERKENHAM (*Bethesda, MD*)
D. E. HILLMAN (*New York, NY*)
T. HÖKFELT (*Stockholm*)
P. HOLZER (*Graz*)
O. HORNYKIEWICZ (*Vienna*)
J. HOUNSGAARD (*Copenhagen*)
S. P. HUNT (*Cambridge*)
H. JAHNSEN (*Copenhagen*)
B. E. JONES (*Montreal*)
E. G. JONES (*Irvine, CA*)
G. JU (*Xi'an*)
J. S. KELLY (*Edinburgh*)
B. I. KHODOROV (*Moscow*)
S. T. KITAI (*Memphis, TN*)
T. KOSAKA (*Fukuoka*)
O. A. KRISHTAL (*Kiev*)
S. N. LAWSON (*Bristol*)
J. D. LEVINE (*San Francisco, CA*)
D. LINDHOLM (*Munich*)
C. A. MAGGI (*Florence*)
C. A. MARSDEN (*Nottingham*)
A. I. MATUS (*Basle*)
J. F. MORRIS (*Oxford*)
É. MUGNAINI (*Chicago, IL*)
D. G. NICHOLLS (*Dundee*)
T. ONO (*Toyama*)
J. M. PALACIOS (*Barcelona*)
V. H. PERRY (*Oxford*)
P. RAKIC (*New Haven, CA*)
H. J. RALSTON (*San Francisco, CA*)
S. J. REDMAN (*Canberra*)
T. S. REESE (*Bethesda, MD*)
L. P. RENAUD (*Ottawa*)
H. A. ROBERTSON (*Halifax, N.S.*)
R. SCHMIDT-KASTNER (*Ottawa*)
M. L. SHIK (*Moscow*)
S. SNYDER (*Baltimore, MD*)
M. V. SOFRONIEW (*Cambridge*)
P. SOMOGYI (*Oxford*)
C. SOTELO (*Paris*)
K. STARKE (*Freiburg*)
M. S. STARR (*London*)
M. STERIADE (*Quebec*)
P. STRATA (*Turin*)
K. SUZUKI (*Chapel Hill, NC*)
D. T. THEODOSIS (*Bordeaux*)
A. M. THOMSON (*London*)
K. UNSICKER (*Heidelberg*)
S. R. VINCENT (*Vancouver*)
J. VOOGD (*Rotterdam*)
L. VYKLICKY (*Prague*)
K. D. WALTON (*New York, NY*)
X. S. T. WAN (*Beijing*)
K. WICTORIN (*Lund*)
W. D. WILLIS (*Galveston, TX*)
H. WINKLER (*Innsbruck*)
W. WISDEN (*Cambridge*)
D. J. WOODWARD (*Winston-Salem, NC*)
Y. YAROM (*Jerusalem*)
D. S. ZAHM (*St Louis, MO*)
R. E. ZIGMOND (*Cleveland, OH*)
H. ZIMMERMANN (*Frankfurt*)

*IBRO Publications Committee*

*Chairman*, G. W. KREUTZBERG; C. BLAKEMORE, G. K. KOSTOPOULOS, A. D. SMITH, P. G. STRATA

*Production Editor*: M. DAVIES. *Editorial Assistant*: S. J. RUSSELL (*Oxford*)


Copyright © 1996 IBRO

# LIST OF CONTENTS

VOLUME 74 NUMBER 1


LETTERS TO NEUROSCIENCE

**S. Betmouni, V. H. Perry** and **J. L. Gordon** — Evidence for an early inflammatory response in the central nervous system of mice with scrapie — 1

**J. A. Harris, M. Corsi, M. Quartaroli, R. Arban** and **M. Bentivoglio** — Upregulation of spinal glutamate receptors in chronic pain — 7

RESEARCH PAPERS

**S. J. Boxall, S. W. N. Thompson, A. Dray, A. H. Dickenson** and **L. Urban** — Metabotropic glutamate receptor activation contributes to nociceptive reflex activity in the rat spinal cord *in vitro* — 13

**C. Gouardères, S. Kar** and **J-M. Zajac** — Presence of neuropeptide FF receptors on primary afferent fibres of the rat spinal cord — 21

**H. Ohta, X. Li** and **W. T. Talman** — Release of glutamate in the nucleus tractus solitarii in respinse to baroreflex activation in rats — 29

**R. Simantov, E. Blinder, T. Ratovitski, M. Tauber, M. Gabbay** and **S. Porat** — Dopamine-induced apoptosis in human neuronal cells: inhibition by nucleic acids antisense to the dipamine transporter — 39

**E. Pettersson, M. Herrera-Marschitz, R. Rodriguez-Puertas, Z. Q. Xu, Z.-B. You, J. Hughes, R. P. Elde, U. Ungerstedt** and **T. Hökfelt** — Evidence for aspartate-immunoreactive neurons in the neostriatum of the rat: modulation by the mesencephalic dopamine pathway via $D_1$-subtype of receptor — 51

**D. J. Holt, L. B. Hersh** and **C. B. Saper** — Cholinergic innervation in the human striatum: a three-compartment model — 67

**L. F. B. Nicholson, H. J. Waldvogel** and **R. L. M. Faull** — $GABA_A$ receptor subtype changes in the substantia nigra of the rat following quinolinate lesions in the striatum: a correlative *in situ* hybridization and immunohistochemical study — 89

**M. Robello, C. Amico, G. Bucossi, A. Cupello, M. V. Rapallino** and **S. Thellung** — Nitric oxide and $GABA_A$ receptor function in the rat cerebral cortex and cerebellar granule cells — 99

**P. R. Patrylo, A. J. Kuhn, J. S. Schweitzer** and **F. E. Dudek** — Multiple-unit recordings during slow field-potential shifts in low-$[Ca^{2+}]_o$ solutions in rat hippocampal and cortical slices — 107

**G. Leanza, O. G. Nilsson, G. Nikkhah, R. G. Wiley** and **A. Björklund** — Effects of neonatal lesions of the basal forebrain cholinergic system by 192 immunoglobulin G-saporin: biochemical, behavioural and morphological characterization — 119

**H. K. Kia, M. J. Brisorgueil, G. Daval, X. Langlois, M. Hamon** and **D. Vergé** — Serotonin$_{1A}$ receptors are expressed by a subpopulation of cholinergic neurons in the rat medial septum and diagonal band of Broca—a double immunocytochemical study — 143

**F. Melis, R. Stancampiano, A. Imperato, G. Carta** and **F. Fadda** — Chronic ethanol consumption in rats: correlation between memory performance and hippocampal acetylcholine release *in vitro* — 155

**R. Schmidt-kastner, C. Wetmore** and **L. Olson** — Comparative study of brain-derived neurotrophic factor messenger RNA and protein at the cellular level suggests multiple roles in hippocampus, striatum and cortex — 161

| | | |
|---|---|---|
| **T. L. Williams, P. G. Ince, A. E. Oakley** and **P. J. Shaw** | An immunocytochemical study of the distribution of AMPA selective glutamate receptor subunits in the normal human moter system | 185 |
| **R. Wang, L. B. MacMillan, R. T. Fremeau Jr, M. A. Magnuson, J. Lindner** and **L. E. Limbird** | Expression of $a_2$-adrenergic receptor subtypes in the mouse brain: evaluation of spatial and temporal information imparted by 3 kb of 5′ regulatory sequence for the $a_{2A}$AR-receptor gene in transgenic animals | 199 |
| **M. Vankova, P.-A. Boyer, V. Leviel** and **M. Arluison** | Opposite changes in the expression of enkephalin in the amygdala and hypothalamus after lesions of the bed nucleus of the stria terminalis in the rat | 219 |
| **J. W. Lee** and **M. S. Erskine** | Vaginocervical stimulation suppresses the expression of *c-fos* induced by mating in thoracic, lumbar and sacral segments of the female rat | 237 |
| **J. Baller, M. J. Vaum** and **A. K. Slob** | Neonatal inhibition of brain estrogen synthesis alters adult neural Fos responses to mating and pheromonal stimulation in the male rat | 251 |
| **C. DellaCorte, D. Restrepo, B. Ph. M. Menco, I. Andreini** and **D. L. Kalinoski** | $G\alpha_q/G\alpha_{11}$: immunolocalization in the olfactory epithelium of the rat (*Rattus rattus*) and the channel catfish (*Ictalurus punctatus*) | 261 |
| **C. D. Dunigan** and **A. E. Shamoo** | Cation requirements of basal and ATP-regulated dopamine transport in rat pheochromocytoma cells | 275 |
| **M. D. Bell, D. D. Taub** and **V. H. Perry** | Overriding the brain's intrinsic resistance to leukocyte recruitment with intraparenchymal injections of recombinant chemokines | 283 |
| CORRIGENDUM | | 293 |
| ERRATA | | 295 |


## VOLUME 74 NUMBER 2


LETTER TO NEUROSCIENCE

| | | |
|---|---|---|
| **X. Langlois, S. El Mestikawy, M. Arpin, A. Triller, M. Hamon** and **M. Darmon** | Differential addressing of 5-$HT_{1A}$ and 5-$HT_{1B}$ receptors in transfected LLC-PK1 epithelial cells: a model of receptor targeting in neurons | 297 |

RESEARCH PAPERS

| | | |
|---|---|---|
| **S. C. Heinrichs, M. P. Stenzel-Poore, L. H. Gold, E. Battenberg, F. E. Bloom, G. F. Koob, W. W. Vale** and **E. Merlo Pich** | Learning impairment in transgenic mice with central overexpression of corticotropin-releasing factor | 303 |
| **K. R. Melia, A. E. Ryabinin, K. P. Corodimas, M. C. Wilson** and **J. E. Ledoux** | Hippocampal-dependent learning and experience-dependent activation of the hippocampus are preferentially disrupted by ethanol | 313 |
| **L. L. Voronin, M. Volgushev, M. Chistiakova, U. Kuhnt** and **W. Singer** | Involvement of silent synapses in the induction of long-term potentiation and long-term depression in neocortical and hippocampal neurons | 323 |
| **F. H. Brucato, E. D. Levin, D. D. Mott, D. V. Lewis, W. A. Wilson** and **H. S. Swartzwelder** | Hippocampal long-term potentiation and spatial learning in the rat: effects of $GABA_B$ receptor blockade | 331 |
| **A. Gutiérrez, Z. U. Khan, D. Ruano, C. P. Miralles, J. Vitorica** and **A. L. De Blas** | Aging-related subunit expression changes of the $GABA_A$ receptor in the rat hippocampus | 341 |
| **H. Le Jeune, D. Cecyre, W. Rowe, M. J. Meaney** and **R. Quirion** | Ionotropic glutamate receptor subtypes in the aged memory-impaired and unimpaired Long–Evans rat | 349 |

| | | |
|---|---|---|
| **K. Yamada, M. Hiramatsu, Y. Noda, T. Mamiya, M. Murai, T. Kameyama, Y. Komori, T. Nikai, H. Sugihara** and **T. Nabeshima** | Role of nitric oxide and cyclic GMP in the dizocilpine-induced impairment of spontaneous alternation behavior in mice | 365 |
| **A. Surkis, B. Taylor, C. S. Peskin** and **C. S. Leonard** | Quantitative morphology of physiologically identified and intracellularly labeled neurons from the guinea-pig laterodorsal tegmental nucleus *in vitro* | 375 |
| **H. Imon, K. Ito, L. Dauphin** and **R. W. McCarley** | Electrical stimulation of the cholinergic laterodorsal tegmental nucleus elicits scopolamine-sensitive excitatory postsynaptic potentials in medial pontine reticular formation neurons | 393 |
| **M. Jung, J. C. Michaud, R. Steinberg, M. C. Barnouin, A. Hayar, G. Mons, J. Souilhac, X. Emonds-Alt, P. Soubrie** and **G. Le Fur** | Electrophysiological, behavioural and biochemical evidence for activation of brain noradrenergic systems following neurokinin $NK_3$ receptor stimulation | 403 |
| **J. P. Sastre, C. Buda, K. Kitahama** and **M. Jouvet** | Importance of the ventrolateral region of the periaqueductal gray and adjacent tegmentum in the control of paradoxical sleep as studied by muscimol microinjections in the cat | 415 |
| **Y.-J. Wang, C.-L. Liu** and **G.-F. Tseng** | Compartmentalization of calbindin and parvalbumin in different parts of rat rubrospinal neurons | 427 |
| **S. K. Goldsmith** and **J. N. Joyce** | Dopamine D2 receptors are organized in bands in normal human temporal cortex | 435 |
| **U. Schmidt, C. Beyer, A. B. Oestreicher, I. Reisert, K. Schilling** and **C. Pilgrim** | Activation of dopaminergic $D_1$ receptors promotes morphogenesis of developing striatal neurons | 453 |
| **R. J. Williams, M. Maus, N. Stella, J. Glowinski** and **J. Premont** | Reduced glucose metabolism enhances the glutamate-evoked release of arachidonic acid from striatal neurons | 461 |
| **T. Obradovic, K. M. Imel** and **S. R. White** | Methylenedioxymethamphetamine-induced inhibition of neuronal firing in the nucleus accumbens is mediated by both serotonin and dopamine | 469 |
| **J.-Y. Chang, J. M. Paris, S. F. Sawyer, A. B. Kirillov** and **D. J. Woodward** | Neuronal spike activity in rat nucleus accumbens during cocaine self-administration under different fixed-ratio schedules | 483 |
| **I. M. Stanford** and **M. G. Lacey** | Electrophysiological investigation of adenosine trisphosphate-sensitive potassium channels in the rat substantia nigra pars reticulata | 499 |
| **G. M. Seigel, J. Rollins, T. R. Mhyre, T. Poles, U. Fideli** and **J. Holliday** | Immortalized cerebellar cells can be induced to display mature neuronal characteristics | 511 |
| **K. Tomizawa, H. Matsui, M. Matsushita, J. Lew, M. Tokuda, T. Itano, R. Konishi, J. H. Wang** and **O. Hatase** | Localization and development changes in the neuron-specific cyclin-dependent kinase 5 activator ($p35^{nck5a}$) in the rat brain | 519 |
| **M. Dueñas, I. Torres-Aleman, F. Naftolin** and **L. M. Garcia-Segura** | Interaction of insulin-like growth factor-I and estradiol signaling pathways on hypothalamic neuronal differentiation | 531 |
| **S. Weiss, O. Cataltepe** and **A. J. Cole** | Anatomical studies of DNA fragmentation in rat brain after systemic kainate administration | 541 |
| **E. Vaudano, G. Campbell** and **S. P. Hunt** | Change in the molecular phenotype of Schwann cells upon transplantation into the central nervous system: down-regulation of c-*jun* | 553 |
| **G. Gomez, D. Restrepo, N. Rawson, L. D. Lowry, W. M. Keane** and **J. L. Rothstein** | Induction of differentiation of human olfactory neuroblastoma cells into odorant-responsive cells | 567 |

| | | |
|---|---|---|
| **M. A. Gates, E. D. Laywell, H. Fillmore** and **D. A. Steindler** | Astrocytes and extracellular matrix following intracerebral transplantation of embryonic ventral mesencephalon or lateral ganglionic eminence | 579 |
| **M. K. Matyszak** and **V. H. Perry** | The potential role of dendritic cells in immune-mediated inflammatory diseases in the central nervous system | 599 |
| **M. Kress, J. Rödl** and **P. W. Reeh** | Stable analogues of cyclic AMP but not cyclic GMP sensitize unmyelinated primary afferents in rat skin to heat stimulation but not to inflammatory mediators, *in vitro* | 609 |


## VOLUME 74 NUMBER 3


LETTER TO NEUROSCIENCE

| | | |
|---|---|---|
| **L. Bonfanti, A. Merighi** and **D. T. Theodosis** | Dorsal rhizotomy induces transient expression of the highly sialylated isoform of the neural cell adhesion molecule in neurons and astrocytes of the adult rat spinal cord | 619 |

COMMENTARY

| | | |
|---|---|---|
| **N. J. Woolf** | Global and serial neurons form a hierarchically arranged interface proposed to underlie memory and cognition | 625 |

RESEARCH PAPERS

| | | |
|---|---|---|
| **A. N. van den Pol, K. Obrietan** and **A. Belousov** | Glutamate hyperexcitability and seizure-like activity throughout the brain and spinal cord upon relief from chronic glutamate receptor blockade in culture | 653 |
| **N. A. Simonian, R. L. Getz, J. C. Leveque, C. Konradi** and **J. T. Coyle** | Kainate induces apoptosis in neurons | 675 |
| **J. N. Armstrong, J.-C. L. Plumier, H. A. Robertson** and **R. W. Currie** | The inducible 70,000 molecular weight heat shock protein is expressed in the degenerating dentate hilus and piriform cortex after systemic administration of kainic acid in the rat | 685 |
| **D. G. Fujikawa, J. S. Kim, A. H. Daniels, A. F. Alcaraz** and **T. B. Sohn** | *In vivo* elevation of extracellular potassium in the rat amygdala increases extracellular glutamate and aspartate and damages neurons | 695 |
| **B. A. Bahr, K. B. Hoffman, M. Kessler, M. Hennegriff, G. Y. Park, R. S. Yamamoto, B. T. Kawasaki, P. W. Vanderklish, R. A. Hall** and **G. Lynch** | Distinct distributions of α-amino-3-hydroxy-5-methyl-4-isoxazolepropionate (AMPA) receptor subunits and a related 53,000 $M_R$ antigen (*GR53*) in brain tissue | 707 |
| **D. Manahan-Vaughan** and **K. G. Reymann** | Metabotropic glutamate receptor subtype agonists facilitate long-term potentiation within a distinct time window in the dentate gyrus *in vivo* | 723 |
| **H. Kuo, D. K. Ingram, L. C. Walker, M. Tian, J. M. Hengemihle** and **M. Jucker** | Similarities in the age-related hippocampal deposition of periodic acid-Schiff-positive granules in the senescence-accelerated mouse P8 and C57BL/6 mouse strains | 733 |
| **M. M. Nicolle, J. L. Bizon** and **M. Gallagher** | *In vitro* autoradiography of ionotropic glutamate receptors in hippocampus and striatum of aged Long–Evans rats: relationship to spatial learning | 741 |
| **J. E. Kerr, S. G. Beck** and **R. J. Handa** | Androgens selectively modulate c-*fos* messenger RNA induction in the rat hippocampus following novelty | 757 |
| **G. P. Mark, P. V. Rada** and **T. J. Shors** | Inescapable stress enhances extracellular acetylcholine in the rat hippocampus and prefrontal cortex but not the nucleus accumbens or amygdala | 767 |
| **J. E. Brecknell, J. S. Du, E. Muir, P. S. Fidler, M. L. Hlavin, S. B. Dunnett** and **J. W. Fawcett** | Bridge grafts of fibroblast growth factor-4-secreting Schwannoma cells promote functional axonal regeneration in the nigrostriatal pathway of the adult rat | 775 |

| | | |
|---|---|---|
| **N. B. Mercuri, P. Grillner** and **G. Bernardi** | *N*-Methyl-D-aspartate receptors mediate a slow excitatory postsynaptic potential in the rat midbrain dopaminergic neurons | 785 |
| **Z.-B. You, M. Herrera-Marschitz, E. Pettersson, I. Nylander, M. Goiny, H.-Z. Shou, J. Kehr, O. Godukhin, T. Hökfelt, L. Terenius** and **U. Ungerstedt** | Modulation of neurotransmitter release by cholecystokinin in the neostriatum and substantia nigra of the rat: regional and receptor specificity | 793 |
| **J. S. Brog** and **D. S. Zahm** | Morphologically distinct subpopulations of neurotensin-immunoreactive striatal neurons observed in rat following dopamine depletions and $D_2$ receptor blockade project to the globus pallidus | 805 |
| **J. Drago, C. R. Gerfen, H. Westphal** and **H. Steiner** | D1 dopamine receptor-deficient mouse: cocaine-induced regulation of immediate-early gene and substance P expression in the striatum | 813 |
| **K. Funa, N. Yamada, G. Brodin, K. Pietz, A. Åhgren, K. Wictorin, O. Lindvall** and **P. Odin** | Enhanced synthesis of platelet-derived growth factor following injury induced by 6-hydroxydopamine in rat brain | 825 |
| **J. E. Cheun** and **H. H. Yeh** | Noradrenergic potentiation of cerebellar Purkinje cell responses to GABA: cyclic AMP as intracellular intermediary | 835 |
| **M. Taoka, S.-Y. Song, M. Kubota, A. Minegishi, T. Yamakuni** and **S. Konishi** | Increased level of neurokinin-1 tachykinin receptor gene expression during early postnatal development of rat brain | 845 |
| **Z. Z. Pan** and **H. L. Fields** | Endogenous opioid-mediated inhibition of putative pain-modulating neurons in rat rostral ventromedial medulla | 855 |
| **S. M. Roychowdhury** and **H. L. Fields** | Endogenous opioids acting at a medullary μ-opioid receptor contribute to the behavioral antinociception produced by GABA antagonism in the midbrain periaqueductal gray | 863 |
| **R. J. Traub, J. N. Sengupta** and **G. F. Gebhart** | Differential c-Fos expression in the nucleus of the solitary tract and spinal cord following noxious gastric distention in the rat | 873 |
| **P. Duchamp-Viret, B. Palouzier-Paulignan** and **A. Duchamp** | Odor coding properties of frog olfactory cortical neurons | 885 |
| **C. B. Rozanov** and **M. B. Dratman** | Immunohistochemical mapping of brain triiodothyronine reveals prominent localization in central noradrenergic systems | 897 |
| **S. Breen, S. Rees** and **D. Walker** | The development of diurnal rhythmicity in fetal suprachiasmatic neurons as demonstrated by Fos immunohistochemistry | 917 |
| **A. Fergus, Y. Jin, Q.-A. Thai, N. F. Kassell** and **K. S. Lee** | Tonic protein kinase C-mediated vascoconstriction is unmasked when nitric oxide synthase is inhibited in cerebral microvessels | 927 |
| **H. A. J. M. Kurvers, G. J. Tangelder, J. G. R. de Mey, D. W. Slaaf, F. A. J. M. van den Wildenberg, P. J. E. H. M. Kitslaar, R. S. Reneman, E. V. Rouwet** and **M. J. H. M. Jacobs** | Skin blood flow disturbances in the contralateral limb in a peripheral mononeuropathy in the rat | 935 |

VOLUME 74 NUMBER 4

LETTERS TO NEUROSCIENCE

| | | |
|---|---|---|
| **X.-F. Zhou** and **R. A. Rush** | Endogenous brain-derived neurotrophic factor is anterogradely transported in primary sensory neurons | 945 |

| | | |
|---|---|---|
| **A. Popratiloff, V. N. Kharazia, R. J. Weinberg, B. Laonipon** and **A. Rustioni** | Glutamate receptors in spinal motoneurons after sciatic nerve transection | 953 |
| RESEARCH PAPERS | | |
| **N. Nakao, E. M. Grasbon-Frodl, H. Widner** and **P. Brundin** | DARPP-32-rich zones in grafts of lateral ganglionic eminence govern the extent of functional recovery in skilled paw reaching in an animal model of Huntington's disease | 959 |
| **P. Barnéoud, M. Mazadier, J.-M. Miquet, S. Parmentier, P. Dubédat, A. Doble** and **A. Boireau** | Neuroprotective effects of riluzole on a model of Parkinson's disease in the rat | 971 |
| **S. Wolfarth, J. Konieczny, M. Śmiałowska, G. Schulze** and **K. Ossowska** | Influence of 6-hydroxydopamine lesion of the dopaminergic nigrostriatal pathway on the muscle tone and electromyographic activity measured during passive movements | 985 |
| **L. Stefanis** and **R. E. Burke** | Transneuronal degeneration in substantia nigra pars reticulata following striatal excitotoxic injury in adult rat: time-course, distribution and morphology of cell death | 997 |
| **J. Deuchars** and **A. M. Thomson** | CA1 pyramid–pyramid connections in rat hippocampus *in vitro*: dual intracellular recordings with biocytin filling | 1009 |
| **A. M. Aloisi, M. E. Albonetti** and **G. Carli** | Formalin-induced changes in adrenocorticotropic hormone and corticosterone plasma levels and hippocampal choline acetyltransferase activity in male and female rats | 1019 |
| **J. Sirvio, J. Larson, C. N. Quach, G. A. Rogers** and **G. Lynch** | Effects of pharmacologically facilitating glutamatergic transmission in the trisynaptic intrahippocampal circuit | 1025 |
| **A. Gasbarri, A. Sulli, R. Innocenzi, C. Pacitti** and **J. D. Brioni** | Spatial memory impairment induced by lesion of the mesohippocampal dopaminergic system in the rat | 1037 |
| **G. Magowan** and **D. J. Price** | Trophic and outgrowth-promoting effects of $K^+$-induced depolarization on developing thalamic cells in organotypic culture | 1045 |
| **H. Wang** and **J. F. Morris** | Presence of neuronal nitric oxide synthase in the suprachiasmatic nuclei of mouse and rat | 1059 |
| **Z. Zuo, J. De Vente** and **R. A. Johns** | Halothane and isoflurane dose-dependently inhibit the cyclic GMP increase caused by *N*-methyl-D-aspartate in rat cerebellum: novel localization and quantitation by *in vitro* autoradiography | 1069 |
| **B. D. Grubb, R. C. Riley, P. J. Hope, L. Pubols** and **A. W. Duggan** | The burst-like firing of spinal neurons in rats with peripheral inflammation is reduced by an antagonist of *N*-methyl-D-aspartate | 1077 |
| **B. Lu, A. J. Czernik, S. Popov, T. Wang, M.-M. Poo** and **P. Greengard** | Expression of synapsin I correlates with maturation of the neuromuscular synapse | 1087 |
| **Y.-Z. Zhang, J. Hannibal, Q. Zhao, K. Moller, N. Danielsen, J. Fahrenkrug** and **F. Sundler** | Pituitary adenylate cyclase activating peptide expression in the rat dorsal root ganglia: up-regulation after peripheral nerve injury | 1099 |
| **C. L. Stucky, S. A. Thayer** and **V. S. Seybold** | Prostaglandin $E_2$ increases the proportion of neonatal rat dorsal root ganglion neurons that respond to bradykinin | 1111 |
| **Y. Kawakami** and **T. Oshima** | Long-lasting potentiation in the secondary somatosensory cortex affects motor control: assessment by H-reflex | 1125 |
| **W. Löscher, A. Richter, G. Nikkhah, C. Rosenthal, U. Ebert** and **H.-J. Hedrich** | Behavioural and neurochemical dysfunction in the circling (*ci*) rat: a novel genetic animal model of a movement disorder | 1135 |

| | | |
|---|---|---|
| **P. E. Hughes, T. Alexi, T. Yoshida, S. S. Schreiber** and **B. Knusel** | Excitotoxic lesion of rat brain with quinolinic acid induces expression of p53 messenger RNA and protein and p53-inducible genes *Bax* and *Gadd-45* in brain areas showing DNA fragmentation | 1143 |
| **A. H. Cohen, L. Guan, J. Harris, R. Jung** and **T. Kiemel** | Interaction between the caudal brainstem and the lamprey central pattern generator for locomotion | 1161 |
| **L. D. Matzel, R. F. Rogers** and **A. C. Talk** | Bidirectional regulation of neuronal potassium currents by the G-protein activator aluminium fluoride as a function of intracellular calcium concentration | 1175 |
| **B. F. King, J. T. Neary, Q. Zhu, S. Wang, M. D. Norenberg** and **G. Burnstock** | $P_2$ purinoceptors in rat cortical astrocytes: expression, calcium-imaging and signalling studies | 1187 |
| **D. H. Lowenstein** and **L. Arsenault** | Dentate granule cell layer collagen explant cultures: spontaneous axonal growth and induction by brain-derived neurotrophic factor or basic fibroblast growth factor | 1197 |
| **Y. Kawamoto, S. Nakamura, S. Nakano, N. Oka, I. Akiguchi** and **J. Kimura** | Immunohistochemical localization of brain-derived neurotrophic factor in adult rat brain | 1209 |